	Model	Number & Name	Description	Available for Series:	
	С	Screwdriver Cam	Standard for TM, SM & CT Series Flathead Screwdriver by others	TM, SM, AT, CT	
	C2	Torx Head Cam	For additional Security T-25 Security Torx tool by others	TM, SM, CT, AT	
C	С3	Spanner Head Cam	For additional security #10 Spanner Head tool by others	TM, SM, CT, AT	
	C4	Hex Head Cam	For additional security 4mm Allen Head tool by others	TM, SM, CT, AT	
	C 5	Knob Cam	Standard for AT Series	TM, SM, AT	
	L	Cylinder Lock	Cylinder lock (PN BH005B) includes lock, clip and one key (PN 0440). Additional key can be ordered separately	TM, SM, CT	
	M1	Mortise Cam Latch Prep	Prepped for Mortise Cylinder Lock by Others. Lock specifications: Kaba Ilco 7205SC1, 1-1/4" long Mortise Cylinder with Stan- dard Cam (PN 06431). Cylinders by others require brass ring (PN 0646)	ТМ, СТ	
	M2	Mortise Cam Latch Installed	Includes: Kaba Ilco 7205SC1, 1-1/4" long Mortise Cylinder with Standard Cam (PN 06431), 2 keys and brass ring (PN 0646)	тм, ст	
	M5	Temporary Green Core Mortise Cam Latch Installed	Includes: Best 1E74C4RP3626, 1-1/4" long Mortise Cylinder with C4 Standard Cam (PN 08356), 2 keys and Brass ring (PN 0646). Operation key (PN: 040004) & con- trol key (PN: 040005) ordered separately.	тм, ст	
1	М6	Disposable Black Plastic Core Mortise Cam Latch Installed	Includes: Best 1E74C4RP3626, 1-1/4" long Mortise Cylinder with C4 Standard Cam and plastic core (PN 08357) and brass ring (PN 0646)	TM, CT	





ACCESS PANEL LOCK OPTIONS

Page 1 of 4

N		Number & Name	Description	Available for Series:
	U	Slam Latch	Standard for FD Series with Universal Key (PN 0616) and Ring (PN 0617) Can also be Opened by Flathead Screw- driver by others	FD, TM, SM, AT, CT
	U2	Knurled Knob Slam Latch	For additional Security	TM, FD
	U3	Mortise Slam Latch Prep	Prepped for Mortise Cylinder Lock by Others. Lock prep specifications: Kaba Ilco 7205SC1, 1-1/4" long Mortise Cylinder with Standard Cam (PN 06431)	TM, FD, FD2, FD3
	U4	Mortise Slam Latch Installed	Includes: Kaba Ilco 7205SC1, 1-1/4" long Mortise Cylinder with Standard Cam (PN 06431, includes 2 keys)	TM, FD, FD2, FD3
	B1	Mortise Deadbolt Lock Prep	Prepped for Mortise Cylinder Lock by Others. Lock specifications: Kaba Ilco 7205SC2, 1-¼" long Mortise Cylinder with Adams Rite Cam 2 (PN 06441)	ТМ
	B2	Mortise Deadbolt Lock Installed	Includes: Kaba Ilco 7205SC2, 1-1/4" long Mortise Cylinder with Adams Rite Cam 2 (PN 06441, includes 2 keys)	ТМ
	B4	Temporary Green Core Mortise Dead- bolt Lock Installed	Includes: Best 1E74C181RP3626, 1-1/4" long Mortise Cylinder with C181 Adam Rite Cam (PN SL-1E74). Operation key (PN: 040004) & control key (PN: 040005) ordered separately.	ТМ
	B5	Disposable Black Plastic Core Mortise Deadbolt Installed	Includes: Best 1E74C181RP3626, 1-1/4" long Mortise Cylinder with C181 Adam Rite Cam and black plastic core (PN 08358)	ТМ

	Model N	umber & Name	Description	Available	for Series:
	J1P	Detention Slam Prep	Prepped for detention slam lock Airteq 50 by others	017,	SP, HSP
	J1E	Detention Slam Installed	Installed Includes: Airteq 5017 medium se for slam-locking with stainless steel latch x 7/16" and 7/16" bolt throw (PN: DDI-501 Keys sold separately (DDK-5017)	bolt 1"	SP, HSP
	JM1P	Detention Slam Mogul Prep	Prepped for detention slam with mogul cy Airteq 5017M, by others	/linder	SP, HSP
	JM1E	Detention Slam Mogul Installed	Installed includes: Airteq 5017M medium ty deadbolt with mogul key cylinder, stair steel bolt 1" x 7/16" and 7/16"bolt throw (DDI- 5017M). Includes 2 keys (DDK-5017M	iless (PN:	SP, HSP
	K1P	Detention Deadbolt Prep	Prepped for detention deadbolt lock Airte by others. This mounting also accommod Southern Folger 1010A.		SP, HSP
	K1E	Detention Deadbolt Installed	Installed includes: Airteq model 5010, me security deadbolt, with zinc plated steel b 1-1/2" x 3/4" and 5/8" bolt throw (PN: DDI-Keys sold separately (DDK-5010).	olt	SP, HSP
	KM1P	Detention Deadbolt Mogul Prep	Prepped for detention deadbolt with Mog cylinder Airteq 5010M, by others.	ul	SP, HSP
NSA CONTRACTOR OF THE PARTY OF	KM1E	Detention Deadbolt Mogul Installed	Installed includes: Airteq 5010M medium ty deadbolt with mogul key cylinder, zinc steel bolt 1-1/2" x 1/2" and 5/8" throw (PN 5010M). Includes 2 keys (DDK-5010M).	plated	SP, HSP

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating, of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.

Page 3 of 4

 Mode	Number & Name	Description	Available for Series:
P1	Paddle Handle	Flush black slam latch	тм
T1	T-Handle	Rotating T-Handle	тм
F1	Non-Locking Zinc-Plated Compression Latch	Flush compression latch	AT
, F2	Locking Zinc-Plated Compression Latch	Locking latch (PN 040015) includes 2 keys that are not sold separately	AT
F4	Locking Black Compression Latch	Standard for XT and STC Series. Locking latch (PN 0619LB) includes 2 keys that are not sold separately	STC, XT
H2	Non-Locking Chrome-Plated Plastic Handle	Standard for XP Series	ХР
Н3	Locking Chrome-Plated Plastic Handle	Locking handle (PN 0446) includes 2 keys that are not sold separately	ХР
Н4	Locking Removable Plastic Handle	Locking handle (PN 04491) includes 2 keys that are not sold separately	ХР

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating, of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.

Page 4 of 4